



MSD Platinum – The power to light your creativity

MSD Platinum (Touring/Stage)

The MSD Platinum lamps open up new levels of creative freedom in entertainment lighting, with powerful, compact and brilliantly intense light. Their compact, lightweight design provides the freedom to create smaller, lighter luminaires – for use at any location on stage. And their short arc, high color temperature and innovative reflector produce a sparkling, high beam intensity for outstanding color reproduction. They also offer long and reliable lifetime, high efficacy and fast replacement times. It all adds up to an intensely exciting creative experience.

Benefits

- High beam intensity
- Freedom to create smaller and lighter fixtures
- High perceived brightness
- A long and reliable performance

Features

- Very short arc
- Compact system
- High correlated color temperature
- Philips Platinum technology

Application

- Events
- Shows/Theater
- Touring/Stage

MSD Platinum (Touring/Stage)



Warnings and Safety

- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Versions



Dimensional drawing



Product	D (max)	O	C (max)
MSD Platinum 15 R 1CT/8	58.5 mm	1.3 mm	66.4 mm
MSD Platinum 16 R 1CT/8	58.5 mm	1.3 mm	66.4 mm

Controls and dimming

Dimmable	Yes
----------	-----

General information

Cap-Base	-
Main Application	Stage/Touring
Operating Position	UNIVERSAL

Light technical

Colour Code	2
Correlated Colour Temperature (Nom)	8000 K

Operating and electrical

Order Code	Full Product Name	Voltage (Max)	Voltage (Min)	Power (Nom)
928190805314	MSD Platinum 5 R 1CT/8	-	-	189 W
928191605314	MSD Platinum 15 R 1CT/8	-	-	300 W

Order Code	Full Product Name	Voltage (Max)	Voltage (Min)	Power (Nom)
928195205314	MSD Platinum 16 R 1CT/8	-	-	330 W
928495205314	MSD Platinum 20 RB 1CT/8	110 V	85 V	470 W

General information

MSD Platinum (Touring/Stage)

Order Code	Full Product Name	Life To 50% Failures	
		(Nom)	System Description
928190805314	MSD Platinum 5 R 1CT/8	3000 h	Reflector-E20.6
928191605314	MSD Platinum 15 R 1CT/8	2000 h	na

Order Code	Full Product Name	Life To 50% Failures	
		(Nom)	System Description
928195205314	MSD Platinum 16 R 1CT/8	1500 h	Reflector E21.9 TCM
928495205314	MSD Platinum 20 RB 1CT/8	1500 h	Reflector E21.9 TCM

Light technical

Order Code	Full Product Name	Colour		
		Rendering Index (Nom)	Luminous Flux (Min)	Luminous Flux (Nom)
928190805314	MSD Platinum 5 R 1CT/8	-	7100 lm	7950 lm
928191605314	MSD Platinum 15 R 1CT/8	-	11000 lm	13500 lm

Order Code	Full Product Name	Colour		
		Rendering Index (Nom)	Luminous Flux (Min)	Luminous Flux (Nom)
928195205314	MSD Platinum 16 R 1CT/8	-	14300 lm	16000 lm
928495205314	MSD Platinum 20 RB 1CT/8	-	-	22400 lm

