



Apex ceiling light

Apex L LED 45W 5700K

With its EyeComfort design, Apex provides comfortable high-quality LED light for home and residential projects. Its long lifetime and high lumen maintenance ensures a bright light level over time. With various shapes and sizes, it can work in the bedroom to a big living room, and from a dining room to the kitchen. Installation becomes easier with an easy connector and installation bracket.

Product data

General Information	
Lamp colour code	857 daylight
Light source replaceable	No
Protection class IEC	Safety class I (I)
Flammability mark	F [For mounting on normally flammable surfaces]
Warranty period	1 years
Constant light output	No
EU RoHS compliant	Yes
Operating and Electrical	
Input Voltage	220 to 240 V
Input frequency	50 or 60 Hz
Power factor (min.)	0.5
Controls and Dimming	
Dimmable	No
Mechanical and Housing	
Housing material	Metal-Plastic
Overall length	1180 mm
Overall width	148 mm
Overall height	70 mm

Colour	White
Approval and Application	
Ingress protection code	IP20 [Finger-protected]
Initial Performance (IEC Compliant)	
Initial luminous flux (system flux)	4000 lm
Initial LED luminaire efficacy	88.00 lm/W
Lamp colour temperature	5700 K
Colour Rendering Index	80
Initial chromaticity	(0.3287, 0.3425) 6
Initial input power	45 W
Over Time Performance (IEC Compliant)	
Median useful life L70B50	20000 h
Application Conditions	
Ambient temperature range	-20 to +40 °C
Product Data	
Full product code	871951429411000
Order product name	Apex L LED 45W 5700K


Apex ceiling light

EAN/UPC – product	8719514294110
Order code	929002612881
SAP numerator – quantity per pack	1
Numerator – packs per outer box	1
SAP material	929002612881

SAP net weight (piece)	1.200 kg
------------------------	----------




Dimensional drawing



Apex L LED 45W 5700K


Photometric data




General Information 031 Apex Light L1 Page 117

Ceiling APEX L LED 45W 5700K-GUL

Lifetime



L70B50 20K-LMP



L70B50 20K-LED

Apex ceiling light

