



MASTER PL-S 2 Pin

MASTER PL-S 13W/827/2P 1CT/10

MASTER PL-S is an efficient low-wattage compact fluorescent lamp, typically used for decorative and orientation purposes. The original Philips-invented bridge technology guarantees optimum performance in the application, enabling more light and higher efficacy than the bended technology. The 2-pin version is designed for operation on electromagnetic gear and is provided with a plug-in/pull-out lamp base

Warnings and Safety

- Use only with electromagnetic control gear
- Lamp light technical and electrical characteristics are influenced by operating conditions, i.e. lamp ambient temperature and operating position
- Dimming is not possible
- A lamp breaking is extremely unlikely to have any impact on your health. If a lamp breaks, ventilate the room for 30 minutes and remove the parts, preferably with gloves. Put them in a sealed plastic bag and take it to your local waste facilities for recycling. Do not use a vacuum cleaner.

Product data

General Information		Colour Rendering Index,horiz (Nom)	
Cap base	GX23 [GX23]		>80
Life to 50% failures (nom.)	8000 h		
Light Technical		Operating and Electrical	
Colour Code	827 [CCT of 2,700 K]	Power (Rated) (Nom)	13.0 W
Lamp Luminous Flux 25°C EL (Nom)	810 lm	Lamp current (nom.)	0.290 A
Colour Designation	Incandescent White	Voltage (Nom)	56 V
Lumen maintenance 2,000 hours (nom.)	85 %	Controls and Dimming	
Lumen maintenance 5,000 hours (nom.)	80 %	Dimmable	No
Colour Temperature, horizontal (Nom)	2700 K		
Lamp Luminous Efficacy EM (Nom)	62.3 lm/W		

MASTER PL-S 2 Pin

Mechanical and Housing

Cap-base information 2P

Approval and Application

Energy efficiency label (EEL) B

Mercury (Hg) content (nom.) 1.4 mg

Product Data

Full product code 871869965539600

Order product name MASTER PL-S 13W/827/2P 1CT/10

EAN/UPC – product 8718699655396

Order code 927902882766

SAP numerator – quantity per pack 1

Numerator – packs per outer box 10

Material no. (12 NC) 927902882766

SAP net weight (piece) 35.000 g

Dimensional drawing


□ □

Product	D (max)	D1 (max)	C (max)
MASTER PL-S 13W/827/2P 1CT/10	27.1 mm	13 mm	178.2 mm

PL-S 13W/827/2P

Photometric data

⊙ ☀



Lightcolour /827

Lightcolour /827

